YSYI2.E194073 Valve Parts, Electrically Operated - Component

Page Bottom

Valve Parts, Electrically Operated - Component

See General Information for Valve Parts, Electrically Operated - Component

ATOS SPA E194073

VIA ALLA PIANA 57 21018 SESTO CALENDE, VA ITALY

Coil assemblies, Series COI. May be preceded by letters SP, followed by 24/50/60, 110/50/60, 120/60, 230/50/60 or 230/60, followed by AC, may be followed by suffix /80; Series COU. May be preceded by letters SP, followed by 6DC, 12DC, 24DC, 28DC, 48DC, 110RC, 110DC, 125DC, 230RC or 220DC, may be followed by suffix /80; Series COUR, preceded by letters SP, followed by 12DC, 14DC, 24DC, 28DC, 110RC, 110DC, 230RC, 230DC, followed by 10; Series COURJ, COURK, preceded by letters SP, followed by 12DC, 14DC, 24DC, 28DC, followed by 10; Series COO, followed by 12DC, 110DC, 220DC, followed by 20; Series COZO, followed by 24DC, followed by 20.

Coil Assembly, Type no. COE, followed by -110/50/60AC, -230/50/60AC, -115/60AC or -230/60AC, followed by /20.

Coil Assembly, Type no. CAE, followed by -230/50/60AC, -110/50/60AC, -230/60AC or -115/60AC, followed by /20.

Coil Assembly, Type no. COE, may be followed by J, S or K, followed by -24DC-15W, -12DC, -14DC, -24DC or -28DC, followed by /20.

Coil Assembly, Type no. CAE, may be followed by J, S, or K, followed by -12DC, -14DC, -24DC or -28DC, followed by /20.

Coil Assembly, Type no. COE, followed by -48DC, -110RC, -110DC, -125DC, -230RC or -220DC, followed by /20.

Coil Assembly, Type no. COZE, followed by -12DC, -24DC or -6DC, followed by /10.

Coil Assembly, Type no. CAE, followed by -48DC, -110RC, -110DC, -125DC, -230RC or 220DC, followed by /20.

Coil Assembly, Type no. CAZE, followed by -12DC, -24DC or -6DC, followed by /10.

Marking: Company name and series designation.

Last Updated on 2014-05-16

Questions? Print this page Terms of Use Page Top

© 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the <u>UL Environment database</u> for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".

YSYI8.E194073 Valve Parts, Electrically Operated Certified for Canada - Component

Page Bottom

Valve Parts, Electrically Operated Certified for Canada - Component

See General Information for Valve Parts, Electrically Operated Certified for Canada - Component

ATOS SPA E194073

VIA ALLA PIANA 57

21018 SESTO CALENDE, VA ITALY

Coil assemblies, Series COI. May be preceded by letters SP, followed by 24/50/60, 110/50/60, 120/60, 230/50/60 or 230/60, followed by AC, may be followed by suffix /80; Series COU. May be preceded by letters SP, followed by 6DC, 12DC, 24DC, 28DC, 48DC, 110RC, 110DC, 125DC, 230RC or 220DC, may be followed by suffix /80; Series COUR, preceded by letters SP, followed by 12DC, 14DC, 24DC, 28DC, 110RC, 110DC, 230RC, 230DC, followed by 10.

Coil Assembly, Type no. COE, followed by -110/50/60AC, -230/50/60AC, -115/60AC or -230/60AC, followed by /20.

Coil Assembly, Type no. CAE, followed by -230/50/60AC, -110/50/60AC, -230/60AC or -115/60AC, followed by /20.

Coil Assembly, Type no. COE, may be followed by J, S or K, followed by -24DC-15W, -12DC, -14DC, -24DC or -28DC, followed by /20.

Coil Assembly, Type no. CAE, may be followed by J, S, or K, followed by -12DC, -14DC, -24DC or -28DC, followed by /20.

Coil Assembly, Type no. COE, followed by -48DC, -110RC, -110DC, -125DC, -230RC or -220DC, followed by /20.

Coil Assembly, Type no. COZE, followed by -12DC, -24DC or -6DC, followed by /10.

Coil Assembly, Type no. CAE, followed by -48DC, -110RC, -110DC, -125DC, -230RC or 220DC, followed by /20.

Coil Assembly, Type no. CAZE, followed by -12DC, -24DC or -6DC, followed by /10.

Marking: Company name, model designation and Recognized Component Mark for Canada, **U** Last Updated on 2014-05-16

Questions? Print this page Terms of Use Page Top

© 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the <u>UL Environment database</u> for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".

Certificate Number 20150306-E194073

Report Reference E194073-19981109

Issue Date 2015-MARCH-06

Issued to: ATOS SPA

VIA ALLA PIANA 57

21018 SESTO CALENDE VA ITALY

This is to certify that COMPONENT - VALVE PARTS, ELECTRICALLY

representative samples of OPERATED

"See Addendum page for models"

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 429 - Standard for Electrically Operated Valves

C22.2 No.139-1982 - Canadian Standard for Electrically

Operated Valves

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number Report Reference Issue Date 20150306-E194073 E194073-19981109 2015-MARCH-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

General - Component - Electrically Operated Valve Parts, Coil Assembly

USR, CNR - Series COI. May be preceded by letters SP, followed by 24/50/60, 110/50/60, 120/60, 230/50/60 or 230/60, followed by AC, may be followed by suffix /80.

USR, CNR - Series COU. May be preceded by letters SP, followed by 6DC, 12DC, 24DC, 28DC, 48DC, 110RC, 110DC, 125DC, 230RC or 220DC, may be followed by suffix /80

USR, CNR - Series COUR. Preceded by letters SP, followed by 12DC, 14DC, 24DC, 28DC, 110RC, 110DC, 230RC, 230DC, followed by 10.

USR, - Series COURJ, COURK. Preceded by letters SP, followed by 12DC, 14DC, 24DC, 28DC, followed by 10.

USR - Series COO. Followed by 12DC, 110DC, 220DC, followed by 20.

USR - Series COZO. Followed by 24DC, followed by 20.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number 20140515-E194073

Report Reference E194073-20140515

Issue Date 2014-MAY-15

Issued to: ATOS SPA

VIA ALLA PIANA 57

21018 SESTO CALENDE VA ITALY

This is to certify that representative samples of

COMPONENT - VALVE PARTS, ELECTRICALLY

OPERATED

See addendum page

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 429 & CSA C22.2 No. 139, Electrically Operated Valves

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Recognized Component Marks for the U.S. and Canada should be considered as being covered by UL's Recognition and Follow-Up Service and meeting the appropriate U.S. and Canadian requirements.

The UL Recognized Component Mark for the U.S. generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark: "N, may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual recognitions. The UL Recognized Component Mark for Canada consists of the UL Recognized Mark for Canada: "N and the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Recognized Component Mark on the product.

William R. Carney, Director, North American Certification Program

UL LLC

William R. Carney

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

U

Certificate Number Report Reference **Issue Date**

20140515-E194073 E194073-20140515 2014-MAY-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USR, CNR - Component - Valve Parts, Coil Assembly, Type no. COE, followed by -110/50/60AC, -230/50/60AC, -115/60AC or -230/60AC, followed by /20.

USR, CNR - Component - Valve Parts, Coil Assembly, Type no. CAE, followed by -230/50/60AC, -110/50/60AC, -230/60AC or -115/60AC, followed by /20.

USR, CNR - Component - Valve Parts, Coil Assembly, Type no. COE, may be followed by J, S or K, followed by -24DC-15W, -12DC, -14DC, -24DC or -28DC, followed by /20.

USR, CNR - Component - Valve Parts, Coil Assembly, Type no. CAE, may be followed by J, S, or K, followed by -12DC, -14DC, -24DC or -28DC, followed by /20.

USR, CNR - Component - Valve Parts, Coil Assembly, Type no. COE, followed by -48DC, -110RC, -110DC, -125DC, -230RC or -220DC, followed by /20.

USR, CNR - Component - Valve Parts, Coil Assembly, Type no. COZE, followed by -12DC, -24DC or -6DC, followed by /10.

USR, CNR - Component - Valve Parts, Coil Assembly, Type no. CAE, followed by -48DC, -110RC, -110DC, -125DC, -230RC or 220DC, followed by /20.

USR, CNR - Component - Valve Parts, Coil Assembly, Type no. CAZE, followed by -12DC, -24DC or -6DC, followed by /10.

William R. Carney, Director, North American Certification Progra





YSYI2.E319233 **Valve Parts, Electrically Operated - Component**

Page Bottom

Valve Parts, Electrically Operated - Component

See General Information for Valve Parts, Electrically Operated - Component

ANYANG KAIDI ELECTROMAGNETIC TECHNOLOGY CO LTD

E319233

303 CHANGJIANG RD HIGH-TECH DEVELOPMENT ZONE ANYANG, HENAN 455000 CHINA

Solenoid operator, Model MF, followed by Z, followed by 12, followed by 37 or 90, followed by YC, followed by SR.

Coil and assemblies, Models COE and CAE, followed by 12DC, 14DC, 24DC, 28DC, 110DC, 220DC, 110/50/60AC, 115/60AC, 230/50/60AC or 230/60AC, followed by /10; and Models CSX and CTX, followed by 12DC, 14DC, 24DC, 28DC, 110DC, 220DC, 110/50/60AC, 115/60AC, $230/50/60\mbox{AC}$ or $230/60\mbox{AC},$ followed by /12.

Marking: Company name, model designation and the Recognized Component Mark Last Updated on 2012-05-30



Questions?

Print this page

Terms of Use

Page Top

© 2016 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a nonmisleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2016 UL LLC".